

Example that demonstrates reporting of locational running annual averages (LRAA) for multiple sampling sites and multiple sampling dates:

Example Data – TTHM Monitoring

Location	2015 TTHMs Results (ppb)			
	1 st Qtr	2 nd Qtr	3 rd Qtr	4 th Qtr
Site 1 Sample Results	45	60	125	70
<i>Site 1 LRAA*</i>	<i>44</i>	<i>59</i>	<i>74</i>	<i>75</i>
Site 2 Sample Results	40	55	115	60
<i>Site 2 LRAA*</i>	<i>39</i>	<i>53</i>	<i>67</i>	<i>68</i>
Site 3 Sample Results	45	60	105	70
<i>Site 3 LRAA*</i>	<i>44</i>	<i>61</i>	<i>69</i>	<i>70</i>
Site 4 Sample Results	50	65	120	75
<i>Site 4 LRAA*</i>	<i>49</i>	<i>63</i>	<i>74</i>	78

* LRAA for quarters 1 – 3 are based on results from previous quarters in 2014 and are not shown here in this example.

What to report:

- For Amount Detected use the highest of the locational running annual average values for the year (**78** from site 4).
- For Range (low-high), use the minimum and maximum of the sample results for all locations, all dates from 2015 **only** (**40** from Site 2 and **125** from Site 1).

Example CCR Table Entry

Substance (unit of measure)	Year	MCL	MCLG	Amount Detected	Range (low-high)	Violation	Typical Source
Total Trihalomethanes [TTHMs] (ppb)	2015	80	NA	78	40 - 125	No	Byproduct of drinking water disinfection